

FLOWPARAGLIDERS.COM.AU



FIND YOUR *Flow* 

2023 CATALOGUE



THE FLOW PHILOSOPHY

Flow Paragliders is an Australian paragliding company that was made by and for pilots. We started out with a simple goal - to design gliders that we loved to fly.

Over the years we have gained a reputation for being at the forefront of flying technologies and innovation. The Flow Fusion was the first C glider with a 3-2 hybrid line layout, which inspired many similar designs from other manufacturers.

At Flow, we don't believe in catching up with the latest tech. We see ourselves as trendsetters in the industry, always pushing ahead to discover the next game-changing innovation.

We hope you find something in this catalogue to suit your flying needs.

A large, stylized white handwritten signature on a black background.



TRUE FREEDOM IS IN FLIGHT



OUR MISSION

Flow Paragliders is an Australian paragliding company specializing in state-of-the-art paragliders and accessories.

- **EXCEPTIONAL ENGINEERING**
- **INNOVATIVE DESIGN**
- **CUTTING EDGE TECHNOLOGY**

CERTIFICATIONS

Glider within every certification:

- **EN-A**
- **EN-B**
- **EN-C**
- **EN-D**
- **CCC**
- **EN-956-1 (Load Testing)**
- **DGAC pending**

GLIDERS

- **FUTURE**
- **COSMOS 2**
- **PANORAMA 2**
- **FREEDOM 2**
- **FUSION (+ LIGHT)**
- **XCRACER 2**
- **SPECTRA 2**
- **YOTI 3 (+ LIGHT)**

PARAMOTORS

- **FUTURE POWER**
- **COSMOS POWER 2**
- **RPM 2**

VISSTA HARNESS

The Flow VISSTA is an open harness which is compact, comfortable, and semi-lightweight.

- **S (155-170cm)**
- **M (160-185cm)**
- **L (180-205cm)**

ACCESSORIES

- **AURA (RESERVE PARACHUTE)**
- **D-CHUTE (DROGUE CHUTE)**
- **RUCKSACK**
- **CONCERTINA BAG**
- **COMPRESSION BAG**
- **QUICK BAG**
- **TANDEM SPREADER BARS**

MERCH

- **FLOW SOFTSHELL JACKET**
- **FLOW DRY-FIT T-SHIRT**
- **FLOW BASEBALL CAP**

CONTACT US

Flow operates out of Beechmont, QLD, Australia. Visit our website to find a dealer in your country.

+61 414 966 092

SALES@FLOWPARAGLIDERS.COM.AU

@flowparagliders  



VISIT OUR
WEBSITE



- FUTURE
- COSMOS 2
- PANORAMA 2
- FREEDOM 2
- FUSION (+ LIGHT)
- XCRACER 2
- SPECTRA 2
- YOTI 3 (+ LIGHT)

PARAGLIDERS



GLIDERS & CERTIFICATIONS

FLOW designs wings across every certification level to ensure that every pilot can find a wing to suit their needs.

*DGAC pending

	EN-A	EN-B	EN-C	EN-D	CCC	EN-926-1 / DGAC*
PARAMOTOR	FUTURE POWER					COSMOS 2 POWER RPM FULL REFLEX
MINIWING						YOTI 3 YOTI 3 light
RACING			FUSION ✂ FUSION LIGHT ✂	XCRACER 2	SPECTRA 2	
CROSS COUNTRY / INTERMEDIATE		COSMOS 2 PANORAMA 2 freedom 2				
BEGINNER FRIENDLY	FUTURE					
CLASS	FUTURE FUTURE POWER	COSMOS PANORAMA (TANDEM)	FREEDOM FUSION LIGHT	XCRACER 2	SPECTRA 2	YOTI 3 LIGHT COSMOS POWER RPM





FUTURE: FOR THE PILOT TODAY

EN-A

EN-B

EN-C

EN-D

CCC

MISC



FLOW FUTURE is the perfect wing to learn on and progress, a one-glider concept for school and beyond. Featuring excellent roll stability, collapse resistance and pitch stability, its compact shape and aspect ratio makes for a playful yet incredibly safe wing to learn on. As you progress, this glider will comfortably take you into XC and long distance flights.

FEATURES:

- Pitch stable shark nose airfoil
- True 3 line layout
- Short structural nylon rods
- Advanced internal structure tensioning
- Aligned undisturbed airflow
- Optimized internal structure



VIEW THIS GLIDER
OUR WEBSITE


UPPER SURFACE DOMINICO DOKDO 30D MF
BOTTOM SURFACE DOMINICO DOKDO 20DMF
INTERNALS DOMINICO DOKDO 30D HARD
UNSUPPORTED RIBS DOMINICO DOKDO 30D HARD




GÜTH & WOLF
BAND- UND GURTWEBEREIEN



BLUE



LIME



RED



XS

S

M

L

	XS	S	M	L
FLAT AREA	23.9 m ²	25.3 m ²	27.5 m ²	29.2 m ²
PROJECTED AREA	20.75 m ²	21.97 m ²	23.88 m ²	23.9 m ²
FLAT WINGSPAN	10.82 m	11.14 m	11.66 m	12.02 m
ASPECT RATIO	4.9	4.9	4.9	4.9
NUMBER OF CELLS	40	40	40	40
GLIDER WEIGHT	4.5 kg	4.75 kg	4.9 kg	5.2 kg
TAKE-OFF WEIGHT	55-80 kg	70-95 kg	85-110 kg	100-120 kg
CERTIFICATION	EN A	EN A	EN A	EN A



COSMOS 2: DISCOVER THE WORLD OF FLYING

EN-A

EN-B

EN-C

EN-D

CCC

MISC

COSMOS 2

We are proud to introduce our brand new Cosmos2. A glider with enough performance to fly the world, be it a 200km flight in the flatlands of Australia or big triangles in the Alps - the Cosmos2 can do it all. Offering incredible passive safety and an easy and intuitive rear riser steering for cruising the skies and gliding from one thermal to another, Cosmos2 allows the pilot to focus more on the conditions and less on the glider overhead.

FEATURES:

- Shark nose profile
- Reduced line plan
- High passive safety
- Excellent glide
- Efficient speed system
- Sweet handling



VIEW THIS GLIDER
OUR WEBSITE







UPPER SURFACE PORCHER SKYTEX 38
BOTTOM SURFACE PORCHER SKYTEX 38
SUPPORTED RIBS PORCHER SKYTEX 40 HARD
UNSUPPORTED RIBS PORCHER SKYTEX 40 HARD

porcherindustries®



GÜTH & WOLF
BAND- UND GURTWEBEREIEN

RONSTAN



COSMOS 2

XS

S

M

L

	XS	S	M	L
FLAT AREA	24.2 m ²	25.8 m ²	27.3 m ²	29.3 m ²
PROJECTED AREA	21 m ²	22.22 m ²	23.44 m ²	25.47 m ²
FLAT WINGSPAN	11.18 m	11.55 m	11.88 m	12.34 m
ASPECT RATIO	5.17	5.17	5.17	5.17
NUMBER OF CELLS	50	50	50	50
GLIDER WEIGHT	4.7 kg	4.9 kg	5.2 kg	5.3 kg
TAKE-OFF WEIGHT	60-85 kg	70-95 kg	85-105 kg	95-120 kg
CERTIFICATION	EN B	EN B	EN B	EN B



PANORAMA 2: SHARE YOUR JOY

EN-A

EN-B

EN-C

EN-D

CCC

MISC

PANORAMA 2

FLOW PANORAMA 2 is a tandem glider made to share the stoke and freedom that flying delivers. This wing launches easily in both nil wind and strong conditions, with a stress-free landing that offers great energy retention for a perfect flare. The handling is precise and direct with great authority, and the glider has new, easy to use rollercam trimmers with 110mm of travel.


FEATURES:

- New, easier to use rollercam trimmers with 110mm of travel
- Lightweight yet durable materials
- Super easy launch behaviour in nil and strong winds
- Great energy retention for a perfect flare




VIEW THIS GLIDER
OUR WEBSITE


FRONT SURFACE	PORCHER SKYTEX 38
TOP SURFACE	PORCHER SKYTEX 32
BOTTOM SURFACE	PORCHER SKYTEX 32
RIBS	PORCHER SKYTEX 40 HARD



ORANGE



PURPLE



BLUE

PANORAMA 2

32

39

41

FLAT AREA	32.5 m ²	38.5 m ²	41.15 m ²
PROJECTED AREA	27.85 m ²	33.15 m ²	35.3 m ²
FLAT WINGSPAN	13.6 m	14.5 m	14.9 m
ASPECT RATIO	5.4	5.4	5.4
NUMBER OF CELLS	54	54	54
GLIDER WEIGHT	6.3 kg	6.6 kg	6.7 kg
TAKE-OFF WEIGHT	90-160 kg*	90-190 kg	90-220 kg
CERTIFICATION	EN B	EN B	EN B

FREEDOM 2: CUTTING EDGE

EN-A

EN-B

EN-C

EN-D

CCC

MISC

freedom 2

FLOW FREEDOM 2 has brought unprecedented performance gains in the EN-B class. This glider is packed with state-of-the-art technology, including a hybrid 2-3 line layout, efficient rear riser steering, advanced shark nose airfoil, and 4-way split A attachments. This glider has true racing pedigree with amazing handling and agility, offering an exciting and sporty EN-B with the performance of an EN-C.

FEATURES:

- Hybrid 3-2 line layout
- Efficient rear riser steering
- Advanced shark nose airfoil
- 4-way split A attachment (VPA)
- Semi-lightweight construction
- Advanced sail tensioning



VIEW THIS GLIDER
OUR WEBSITE

UPPER SURFACE	PORCHER SKYTEX 38
BOTTOM SURFACE	PORCHER SKYTEX 32
SUPPORTED RIBS	PORCHER SKYTEX 32
UNSUPPORTED RIBS	PORCHER SKYTEX 32



porcherindustries®




EDELRID




GÜTH & WOLF
BAND- UND GURTWEBEREIEN



DISCO



JAZZ



SKY

freedom 2

XS

S

M

L

FLAT AREA	22.4 m ²	24 m ²	26 m ²	27.5 m ²
PROJECTED AREA	19.1 m ²	20.47 m ²	22.12 m ²	23.45 m ²
FLAT WINGSPAN	11.35 m	11.74 m	12.23 m	12.57 m
ASPECT RATIO	5.75	5.75	5.75	5.75
NUMBER OF CELLS	60	60	60	60
GLIDER WEIGHT	4.5 kg	4.75 kg	4.9 kg	5.2 kg
TAKE-OFF WEIGHT	60-80 kg	70-95 kg	85-108 kg	105-122 kg
CERTIFICATION	EN B	EN B	EN B	EN B





FUSION: THE GAME CHANGER

EN-A

EN-B

EN-C

EN-D

CCC

MISC

FUSION

FLOW FUSION was designed to fly like a 2-liner racing machine while maintaining the security and comfortable workload of an EN-C glider. At speed, rear rising steering with crafted controls allows the pilot to fly by changing the angle of attack without distorting the profile. Cut through turbulence, carve effortlessly to cloudbase, and race away efficiently on bar.

FEATURES:

- Hybrid 3-2 line layout
- Short structural nylon rods
- Pitch stable shark nose airfoil
- Advanced internal tensioning
- Aligned undisturbed airflow
- Optimized internal structure



VIEW THIS GLIDER
OUR WEBSITE

UPPER SURFACE

BOTTOM SURFACE

SUPPORTED RIBS



UNSUPPORTED RIBS

DOMINICO 30D, SKYTEX 32


PORCHER SKYTEX 32 SOFT

PORCHER SKYTEX 32 HARD

PORCHER SKYTEX 32 HARD



OCEAN



RED



FIRE

FUSION

S

M

ML

L

	S	M	ML	L
FLAT AREA	22.95 m ²	24.45 m ²	26.3 m ²	28.4 m ²
PROJECTED AREA	19.56 m ²	20.89 m ²	22.47 m ²	24.14 m ²
FLAT WINGSPAN	12.07 m	12.48 m	12.94 m	13.5 m
ASPECT RATIO	6.35	6.35	6.35	6.35
NUMBER OF CELLS	68	68	68	68
GLIDER WEIGHT	4.45 kg	4.65 kg	4.8 kg	4.95 kg
TAKE-OFF WEIGHT	72-92 kg	80-103 kg	92-115 kg	107-128 kg
CERTIFICATION	EN C	EN C	EN C	EN C

porcherindustries®



EDELRID

Dominico Textile Co.

GÜTH & WOLF
BAND- UND GÜRTWERBEN

RANSTAN



FUSION LIGHT: THE LIGHTWEIGHT GAME-CHANGER

FUSION LIGHT

FLOW FUSION LIGHT is the lighter, more compact, more agile version of the Fusion. Built with Porcher Skytext 27g and lightweight dyneema risers, this glider is livelier, lighter, more compact, and offers a more direct handling feel. The fun factor of this glider is truly amazing! The Fusion Light is ideal for hike & fly missions, long XC adventures, and competition racing.



FEATURES:

- Hybrid 3-2 line layout
- Short structural nylon rods
- Pitch stable shark nose airfoil
- Advance internal tensioning
- Aligned undisturbed airflow
- Lightweight construction




VIEW THIS GLIDER
OUR WEBSITE

UPPER SURFACE PORCHER SKYTEX 32, 27
BOTTOM SURFACE PORCHER SKYTEX 27
SUPPORTED RIBS PORCHER SKYTEX 27 HARD
UNSUPPORTED RIBS PORCHER SKYTEX 27 HARD



OCEAN



SUNRISE

FUSION LIGHT

	S	M	ML
FLAT AREA	22.95 m ²	24.45 m ²	26.3 m ²
PROJECTED AREA	19.56 m ²	20.89 m ²	22.47 m ²
FLAT WINGSPAN	12.07 m	12.48 m	12.94 m
ASPECT RATIO	6.35	6.35	6.35
NUMBER OF CELLS	68	68	68
GLIDER WEIGHT	3.6 kg	3.8 kg	3.95 kg
TAKE-OFF WEIGHT	72-92 kg	80-103 kg	92-115 kg
CERTIFICATION	EN C	EN C	EN C

XCRACER 2: FOR CHAMPIONS

EN-A

EN-B

EN-C

EN-D

CCC

MISC

XCRACER 2

FLOW XCRACER 2 is a well-balanced, no-compromise project where all the latest innovation and technologies were applied to achieve maximum efficiency and performance. It is noticeably easier and more comfortable to fly compared to its predecessor, and more solid at trim and full speed. We designed this glider for champions who are chasing XC distance records or the top of the podium, and it will suit pilots accustomed to flying high-performance wings.

FEATURES:

- Advanced shark nose airfoil
- Precise rear riser steering
- Reduced line layout
- Advanced internal tensioning
- Minimum drag aerofoil
- Optimised lift coefficient



VIEW THIS GLIDER
OUR WEBSITE

UPPER SURFACE PORCHER SKYTEX 38, SKYTEX 27
BOTTOM SURFACE PORCHER SKYTEX 27
SUPPORTED RIBS PORCHER 7000 E91
UNSUPPORTED RIBS PORCHER 7000 E91




porcherindustries®



EDELRID



GÜTH & WOLF
BAND- UND GURTWEBEREIEN



XCRACER 2

S

M

ML

L

	S	M	ML	L
FLAT AREA	21.75 m ²	23.25m ²	24.75 m ²	26.55 m ²
PROJECTED AREA	18.63 m ²	19.77 m ²	21.2 m ²	22.74 m ²
FLAT WINGSPAN	12.34 m	12.94 m	13.20 m	13.66 m
ASPECT RATIO	7.0	7.0	7.0	7.0
NUMBER OF CELLS	83	83	83	83
GLIDER WEIGHT	5.0 kg	5.4 kg	5.8 kg	6.2 kg
TAKE-OFF WEIGHT	80-95 kg	90-105 kg	100-115 kg	110-125 kg
CERTIFICATION	EN D	EN D	EN D	EN D





SPECTRA 2: ELITE PERFORMANCE

EN-A

EN-B

EN-C

EN-D

CCC

MISC



FLOW SPECTRA 2 was designed for the most demanding and challenging conditions, providing superior performance in a comfortable and well managed package. Compared to its predecessor, this glider has increased stability, refined rear rising steering, and better overall feedback between the pilot and glider. The Spectra 2 is pushing the boundaries of paragliding performance and technology.



FEATURES:

- 111 cells and an AR of 8
- Reduced line count
- New airfoil and arc
- Spanwise and chordwise rigidity
- Aligned airfoil and reduced drag
- Leading edge structural integrity



VIEW THIS GLIDER
OUR WEBSITE

UPPER SURFACE PORCHER SKYTEX 38, SKYTEX 27
BOTTOM SURFACE PORCHER SKYTEX 27
SUPPORTED RIBS PORCHER 7000 E91 - 36G
UNSUPPORTED RIBS PORCHER 7000 E29 - 27G



	XS	S	M	ML	L	XL
FLAT AREA	20.35 m ²	22.2 m ²	23.9 m ²	24.9 m ²	25.8 m ²	26.5 m ²
PROJECTED AREA	17.18 m ²	18.53 m ²	19.94 m ²	21.02 m ²	21.53 m ²	23.39 m ²
FLAT WINGSPAN	12.71 m	13.3 m	13.87 m	13.8 m	14.41 m	14.52 m
ASPECT RATIO	8.0	8.0	8.0	8.0	8.0	8.0
NUMBER OF CELLS	111	111	111	111	111	111
GLIDER WEIGHT	5.9 kg	6.0 kg	6.2 kg	6.25 kg	6.35 kg	6.4 kg
TAKE-OFF WEIGHT	80-95 kg	90-105 kg	100-115 kg	105-120 kg	110-125 kg	115-135 kg
CERTIFICATION	CCC	CCC	CCC	CCC	CCC	CCC

porcherindustries®



EDELRID

GÜTH & WOLF
BAND- UND GURTWEBEREIEN

RONSTAN



YOTI 3: ALL-ROUNDER MINIWING

YOTI 3

FLOW YOTI 3 is a mini paraglider designed for the most demanding and challenging air. This design has been refined from the Yoti2 which was made for maximum fun factor. An updated profile combined with new risers and plan shape offers better cell tensioning, making the Yoti3 more dynamic with better stability at high speeds. The awesome handling (which the original Yoti is known for) remains the same.

EN-A

EN-B

EN-C

EN-D

CCC

MINIWING

FEATURES:

- Advanced shark nose airfoil
- Light and durable materials
- Reduced line layout
- Trimmers and speed sytem
- Improved cell tensioning
- Excellent playful handling



VIEW THIS GLIDER
OUR WEBSITE



UPPER SURFACE PORCHER SKYTEX 38G
BOTTOM SURFACE PORCHER SKYTEX 38G
RIBS PORCHER SKYTEX 40 HARD

porcherindustries®



GÜTH & WOLF
BAND- UND GURTWEBEREIEN

RONSTAN



YOTI 3

15

17

19

21

	15	17	19	21
FLAT AREA	15 m ²	17 m ²	19.05 m ²	21 m ²
PROJECTED AREA	13.03 m ²	14.68 m ²	16.59 m ²	18.33 m ²
FLAT WINGSPAN	8.57 m	9.12 m	9.77 m	10.27 m
ASPECT RATIO	5	5	5	5
NUMBER OF CELLS	37	37	37	37
GLIDER WEIGHT	3.55 kg	3.70 kg	4.05 kg	4.3 kg
TAKE-OFF WEIGHT	55-160 kg	55-160 kg	55-160 kg	55-160 kg
CERTIFICATION	EN 926-1	EN 926-1	EN 926-1	EN 926-1



YOTI 3 LIGHT: ONE GLIDER QUIVER

YOTI3
 light

FLOW YOTI 3 LIGHT is a lightweight mini paraglider designed for pilots who seek the ultimate ease of use on the ground and agility in the air. Hike & fly, strong wind soaring, thermal XC flights - the Yoti 3 Light is capable of it all. At 2.15kgs, this wing is the most versatile glider in our range, making a perfect travel companion. Speed, stability, and best glide in the class on a stable shark nose profile.

EN-A

EN-B

EN-C

EN-D

CCC


MINIING

FEATURES:


- Advanced shark nose airfoil
- Trimmers and speed sytem
- Extremely light
- Improved cell tensioning
- Reduced line layout
- Excellent playful handling


 VIEW THIS GLIDER
 OUR WEBSITE

UPPER SURFACE PORCHER SKYTEX 32G, SKYTEX 27G
BOTTOM SURFACE PORCHER SKYTEX 27G
INTERNAL RIBS PORCHER SKYTEX 27G HARD



WHITE


YOTI3
 light

	15	17	19	21
FLAT AREA	15 m ²	17 m ²	19.05 m ²	21 m ²
PROJECTED AREA	13.03 m ²	14.68 m ²	16.59 m ²	18.33 m ²
FLAT WINGSPAN	8.57 m	9.12 m	9.77 m	10.27 m
ASPECT RATIO	5	5	5	5
NUMBER OF CELLS	37	37	37	37
GLIDER WEIGHT	2.15 kg	2.40 kg	2.65 kg	2.85 kg
TAKE-OFF WEIGHT	55-160 kg	55-160 kg	55-160 kg	55-160 kg
CERTIFICATION	EN 926-1	EN 926-1	EN 926-1	EN 926-1

porcherindustries®



EDELRID


 GÜTH & WOLF
 BAND- UND GURTWEBEREIEN


- FUTURE POWER
- COSMOS POWER 2
- RPM 2

PARAMOTORS



Flow
PARAGLIDERS

FUTURE POWER: PG & PPG

EN-A

EN-B

EN-C

EN-D

CCC

POWER

FUTURE POWER

FLOW FUTURE POWER is a versatile wing, ideal for those looking for a one-wing solution for both powered and free flight. It is the perfect wing to learn on and progress, a one-glider concept for school and beyond. This wing was designed with excellent roll stability, easy inflation, collapse resistance, and unprecedented glide performance for the EN A class.

FEATURES:

- Pitch stable shark nose airfoil
- True 3 line layout
- Short structural nylon rods
- Advanced internal structure tensioning
- Aligned undisturbed airflow
- Optimized internal structure



VIEW THIS GLIDER
OUR WEBSITE


UPPER SURFACE DOMINICO DOKDO 30D MF
BOTTOM SURFACE DOMINICO DOKDO 30D MF
SUPPORTED RIBS DOMINICO DOKDO 30D HARD
UNSUPPORTED RIBS DOMINICO DOKDO 30D HARD

 Dominico Textile Co.





GÜTH & WOLF
BAND- UND GURTWEBEREIEN



RONSTAN



 
BLUE



 
RED



 
LIME

FUTURE POWER

	XS	S	M	L
FLAT AREA	23.9 m ²	25.3 m ²	27.5 m ²	29.2 m ²
PROJECTED AREA	20.75 m ²	21.97 m ²	23.88 m ²	23.9 m ²
FLAT WINGSPAN	10.82 m	11.14 m	11.66 m	12.02 m
ASPECT RATIO	4.9	4.9	4.9	4.9
NUMBER OF CELLS	40	40	40	40
GLIDER WEIGHT	4.5 kg	4.75 kg	4.9 kg	5.2 kg
TAKE-OFF WEIGHT	60-110 kg	80-120 kg	95-140 kg	110-160 kg
CERTIFICATION	EN A	EN A	EN A	EN A



COSMOS POWER 2: PARAMOTOR WING

COSMOS POWER 2

FLOW COSMOS POWER 2 is an efficient, stable, and nimble wing designed for intermediate paramotor pilots. It offers remarkable pitch stability with a full reflex profile and inflates easily in nil wing and high wind conditions. Real-life tests have shown unprecedented levels of fuel consumption at low and top-end speeds. The Cosmos Power 2 is versatile glider, despite being a dedicated PPG, it can be flown in free-flight.

EN-A

EN-B

EN-C

EN-D

CCC

POWER



FEATURES:

- Shark nose full reflex profile
- Efficient full reflex design
- Advanced shark nose airfoil
- Short structural nylon rods
- Optimized internal structure
- Low fuel consumption



VIEW THIS GLIDER
OUR WEBSITE

UPPER SURFACE PORCHER SKYTEX 38G
BOTTOM SURFACE PORCHER SKYTEX 38G
RIBS PORCHER SKYTEX 40 HARD



COSMOS POWER 2

19

21

24

26

	19	21	24	26
FLAT AREA	19 m ²	21 m ²	24 m ²	26 m ²
PROJECTED AREA	16.46 m ²	19.06 m ²	20.79 m ²	22.52 m ²
FLAT WINGSPAN	9.98 m	10.74 m	11.22 m	11.68 m
ASPECT RATIO	5.25	5.25	5.25	5.25
NUMBER OF CELLS	50	50	50	50
GLIDER WEIGHT	4.1 kg	4.3 kg	4.6 kg	5.0 kg
TAKE-OFF WEIGHT*	75-105 kg	80-110 kg	95-120 kg	100-130 kg
EXTENDED WEIGHT*	75-120 kg	80-130 kg	95-140 kg	100-150 kg
CERTIFICATION	EN 926-1**	EN 926-1**	EN 926-1**	EN 926-1**

*Take-off weight for intermediate pilots, extended take-off weight for advanced pilots

**DGAC certification pending

RPM 2: FULL REFLEX

EN-A

EN-B

EN-C

EN-D

CCC

POWER

RPM 2

FLOW RPM 2 is at the forefront of PPG design. A full-reflex XC wing offering incredible efficiency and stability at extreme configurations. A fun wing to play or fly locally and at the same time a glider that really shines in long distance XC and fast flying. Real-life tests have shown unprecedented levels of fuel consumption at low and top-end speeds. The RPM 2 is designed for intermediate and advanced pilots who want to cover big distances with speed, stability, and efficiency without compromising the fun aspect of flying a PPG.

FEATURES:

- Shark nose full reflex profile
- Efficient full reflex design
- Advanced shark nose airfoil
- Mid cell structural nylon rods
- Optimized internal structure
- Low fuel consumption



VIEW THIS GLIDER
OUR WEBSITE

UPPER SURFACE

PORCHER SKYTEX 38G

BOTTOM SURFACE

PORCHER SKYTEX 38G

SUPPORTED RIBS

PORCHER SKYTEX 40 HARD



porcherindustries®



EDELRID



GÜTH & WOLF
BAND- UND GURTWEBEREIEN



RPM 2

15

18

20

23

	15	18	20	23
FLAT AREA	15 m ²	18 m ²	20 m ²	23 m ²
PROJECTED AREA	14.7 m ²	15.56 m ²	17.3 m ²	19.89 m ²
FLAT WINGSPAN	9.93 m	10.21 m	10.77 m	11.65 m
ASPECT RATIO	5.85	5.85	5.85	5.85
NUMBER OF CELLS	60	60	60	60
GLIDER WEIGHT	4.8 kg	5.1 kg	5.4 kg	5.7 kg
PPG WEIGHT	65-115 kg	75-120 kg	85-150 kg	95-160 kg
PG WEIGHT	50-95 kg	55-105 kg	65-115 kg	75-125 kg
CERTIFICATION	EN 926-1*	EN 926-1*	EN 926-1*	EN 926-1*

*DGAC certification pending



- VISSTA HARNESS
- RUCKSACK
- CONCERTINA BAG
- TANDEM SPREADERS
- AURA RESERVE PARACHUTE
- DROGUE CHUTE
- MERCHANDISE

ACCESSORIES





VISSTA HARNESS

A comfortable, robust, and semi-lightweight open harness with an excellent feel in the air. Comes in S, M, and L sizes to suit any pilot.



RUCKSACK

A light, durable, and robust rucksack that is made in 3 different sizes to accommodate your equipment in the most efficient way possible.



CONCERTINA BAG

- **GREAT PROTECTION**
- **EASY FOLD DESIGN**
- **COMPRESSION CLIPS**




TANDEM SPREADER BARS

- **RIGID SPREADER BARS**
- **EN CERTIFIED - SHOCK & LOAD**
- **WEIGHS ~340G**



AURA RESERVE PARACHUTE

A reliable apex conical emergency parachute with a fast opening time, slow descent rate, and high stability during descent.



DROGUE CHUTE

Weighing in at 195g, this is the lightest and smallest drag parachute on the market.



MERCHANDISE

- **DRY-FIT SOFTSHELL JACKET**
- **WEATHER-RESISTANT**
- **REMOVABLE HOOD & SLEEVE**
- **DRY-FIT T-SHIRT**
- **COMFORTABLE**
- **LIGHTWEIGHT**
- **SNAPBACK CAP**
- **ADJUSTABLE SIZE**
- **EMBROIDERED LOGO**



VISSTA: OPEN HARNESS

VISSTA

VISSTA was designed to be a robust, light, and comfortable open harness with excellent feel in the air. It provides an outstanding flying experience as well as freedom of movement to perform all the flying manoeuvres with excellence. It is suitable especially for beginners and XC pilots looking a comfortable open harness.

It comes up with an integrated reserve container, colour coded karabiners, colour coded leg loops clips and colour coded chest strap clips and a large foam back protector. Its a semi-light weight harness, and the small packed volume makes it a compact all-round harness with excellent back support and back protection.

VISSTA SPECS	S	M	L
BODY HEIGHT	155-170cm	160-185cm	180-205cm
MAX LOAD	120kg	120kg	120kg
HARNESS WEIGHT	3.6kg	3.7kg	4.1kg
SUSPENSION WEIGHT	47cm	49cm	51cm
SEAT BOARD SIZE (WXL)	36x36cm	38x38cm	40x40cm
CERTIFICATION	EN1652 LFT 91/90	EN1652 LFT 91/90	EN1652 LFT 91/90



FEATURES:

- Extremely comfortable
- Semi-light weight 3,7kg (size M)
- Straps can be easily adjustable while in flight
- Integrated rescue parachute container
- Friction-reduced accelerator cord
- Very light, form-fitting synthetic seat board
- Deployment bag with release handle
- Interchangeable, sturdy PVC undersurface
- Colour-coordinated leg and chest clips
- Large, easily accessible pocket
- Easily accessible storage space
- Magnet holder for speed bar

FABRIC	HONEYCOMB TISSUE & CORDURA
RISERS	25MM POLYESTER
LEG AND CHEST CLOSURES	AUSTRIALPIN COBRA
CARABINER	EDELRIID ALIAS
IDLER PULLEY	AUSTRIALPIN
SEAT BOARD	SYNTHETIC HONEYCOMB DESIGN



VIEW THIS GEAR
OUR WEBSITE



STORAGE

GEAR

MERCH



FLOW RUCKSACK

The Flow Rucksack is made in 5 different sizes to accommodate your equipment in the best possible way. Functionality and ergonomics were merged together to offer a comfortable rucksack distribute the load comfortably. We used a combination of different long-lasting and durable materials, yet light and robust. Each size was specifically designed to accommodate our range of gliders.

- X-LARGE – 170 L** *Designed to fit comp harnesses or a tandem kit*
- LARGE – 140 L** *Fits all open harnesses and pod harness, except for fully dedicated comp harnesses*
- MEDIUM – 115 L** *Fits lightweight or hammock-style harnesses only*
- SMALL – 85 L** *For lightweight harness or hike & fly harnesses only*
- MINI WING XS – 80L** *For mini wings only and split leg harnesses*



VIEW THIS GEAR
OUR WEBSITE



CONCERTINA BAG

The Flow concertina bag will help to fold and store your glider in the best possible way to maintain the performance and the inflation characteristics of your glider by protecting the internal rods maintaining the shape of the leading edge. Keeping your glider in the Flow Concertina bag will minimize panel stretching and fabric abrasion.

Easy to fold design fto facilitate storage and transport with 2 compression clips.

- **WEIGHT 720G**
- **LENGTH 270CM**




VIEW THIS GEAR
OUR WEBSITE



STORAGE

GEAR

MERCH



- **FAST OPENING**
- **SLOW DESCENT RATE**
- **RELIABLE & ROBUST**

AURA is a pulled down apex conical emergency parachute designed for paragliding use only. AURA represents the maximum in safety, functionality and quality. Fast opening times, slow decent rate and stability are some of the main characteristic of this reserve.

Materials have been chosen carefully to achieve a rescue system that is light but still robust and durable.

Reliability was the key factor on Aura's design and development phase. After numerous deployments with successfully similar results we conclude Aura has a fast and reliable opening along with stable descent rate that will bring you back to earth safely, in case an extreme situation arises.

SPECS	M	L
AREA M2	31.15	38.95
WEIGHT	1450	1805
MAX LOAD	100	125
MIN LOAD	70	95
# OF GORES	16	18
# OF LINES	18	20
CONTAINER VOL	5000	6800
CERTIFICATION	EN 1249-1/LTF 91-09	



VIEW THIS GEAR
OUR WEBSITE



D-CHUTE

- **EXTREMELY LIGHT**
- **EASY TO USE**

The Flow D-CHUTE is a drag parachute designed specifically to aid a quick descent rate in high performance paragliders.

When in use, D-CHUTE will reduce the G-forces encountered in steep spiral dives therefore increasing the sink rate.

Our drag parachute is easy to use, effective and important device to be used to lose height when needed.

Light and compact, 195g. It is the smallest and lightest drag parachute in the market.



VIEW THIS GEAR
OUR WEBSITE



STORAGE

GEAR

MERCH




SOFT SHELL JACKET

The Flow Hooded Softshell Jacket is warm and weather-resistant in variable weather conditions. With a removable hood and removable sleeve, the Flow jacket comes with a full-length front zip and zipped pockets.

The fabric has a smooth outer face with a Durable Water Repellent (DWR) finish and a soft touch backing for extra warmth in cool climates. Being an abrasion-resistant softshell with a breathability rating of 5,000 g/m²/24hr and water resistance, the Flow jacket is great for flying and it's also an excellent general-purpose jacket for year-round use.



VIEW THIS GEAR
OUR WEBSITE



DRY-FIT FLOW TEE

Flow Dry-FIT T-shirts are our new high-performance, comfortable, lightweight, polyester fabric shirts that move sweat away from the body and to the fabric surface, where it evaporates.

- AVAILABLE IN XS - XL



VIEW THIS GEAR
OUR WEBSITE


FLOW CAP

A comfortable and stylish snap-back cap with an embroidered Flow logo.




RESEARCH & DEVELOPMENT

Products coming to market in 2023.
Check out website for the latest updates.




EN-C 2-LINER

An adventure 2-liner made with lightweight materials. Rock solid performance with sweet handling and an EN C certification.



XC HARNESS

A comfortable and streamlined pod harness that offers a great feel in the air. Streamlined low-drag design that weighs 4-5kgs. A true XC harness that can be folded in half with reduced volume.



+61 414 966 092

SALES@FLOWPARAGLIDERS.COM.AU

Flow
PARAGLIDERS

FLOWPARAGLIDERS.COM.AU



Flow
PARAGLIDERS

SEE YOU UP THERE

